

Stainless steel hot and cold rolled Sheets and coils.

We have a wide range of stainless steel sheets and coils, cold rolled (2B) and hot rolled (LAC, Nr.1)

Basically we have the austenitic alloys (AISI 304, AISI 316, AISI 310, with L or Ti), but we can also get ferritic and martensitic alloys according to order (AISI 430, AISI 420, ...)

Manufactured and laminated according to manufacturing specifications ASTM A-240 EN 10088 EN 10028

Widths of 1000 1250 1500 and 2000 mm and standard lengths of 1000 2000 3000 6000 or to be agreed according to needs. We have 3 flatteners and a slitting machine in order to cover all the needs of our customers with great flexibility and speed.

All material can be ground, satin or polished according to needs and can also be laminated to protect it from damage during handling and especially from laser cutting.



Technical information

CHAPAS 1000 x 2000								
Espesor	Peso	CALIDAD AISI						
mm.	kg/mts.	304	304L	310	316	316L	321	430
0.4	6.4	*	*	*	*	*	*	*
0.5	8	x	x		x	x	*	*
0.6	9.6	x	x		x	x	*	*
0.7	11.2	x	x		x	x	*	*
0.8	12.8	x	x		x	x	*	*
1	16	x	x		x	x	*	*
1.25	20	x	x		x	x	*	*
1.5	24	x	x	*	x	x	*	*
2	32	x	x	*	x	x	*	*
2.5	40	x	x	*	x	x	*	*
3	48	x	x	*	x	x	*	*
4	64	x	x	*	x	x	*	

5	80	x	x	*	x	x	*	
6	96	x	x	*	x	x	*	
8	128	x	x	*	x	x	*	
10	160	x	x	*	x	x	*	
12	192	x	x	*	x	x	*	
15	240	x	x		x	x	*	
20	320	x	x		x	x	*	
25	400	x	x		x	x	*	
30	480		*		x	x	*	
35	560		*			*	*	
CHAPAS 1250 X 3000								
Espesor	Peso	CALIDAD AISI						
mm.	kg/mts.	304	304L	310	316	316L		
0.5	15	x	x		x	x		
0.6	18	x	x		x	x		
0.7	21	x	x		x	x		
0.8	24	x	x		x	x		
1	30	x	x		x	x		
1.25	36	x	x		x	x		
1.5	45	x	x	*	x	x		
2	60	x	x	*	x	x		
2.5	75	x	x	*	x	x		
3	90	x	x	*	x	x		
4	120	x	x	*	x	x		
5	150	x	x	*	x	x		
6	180	x	x		x	x		
8	240	x	x		x	x		
10	300	x	x		x	x		
12	360	x	x		x	x		
15	440	x	x		x	x		
20	600	x	x		x	x		
25	780	x	x		x	x		
30	960	x	x		x	x		
35	1180	x	x		x	x		
CHAPAS 1500 x 3000								
Espesor	Peso	CALIDAD AISI						
mm.	kg/mts.	304	304L	310	316	316L		
0.8	28.8							
1	36	x	x	*	x	x		
1.2	43.5	x	x		x	x		

1.25	45	x			x			
1.5	54	x	x	*	x	x		
2	72	x	x	*	x	x		
2.5	90	x	x	*	x	x		
3	108	x	x	*	x	x		
4	144	x	x	*	x	x		
5	180	x	x	*	x	x		
6	216	x	x	*	x	x		
8	288	x	x	*	x	x		
10	360	x	x	*	x	x		
12	432	x	x		x	x		
15	540	x			x			
20	720	x			x			
25	900	x			x			
30	1080	x			x			
35	1260	x			x			
BOBINAS LAMINADAS EN CALIENTE Y EN FRIO								
Ancho x espesor	CALIDAD AISI							
mm.	304	316	304-L	316-L	321	430		
1000 x 0,5	x	x	x	x		*		
1000 x 0,6	x	x	x	x		*		
1000 x 0,7	x	x	x	x		*		
1000 x 0,8	x	x	x	x		*		
1000 x 1,0	x	x	x	x		*		
1000 x 1,2	x	x	x	x		*		
1000 x 1,5	x	x	x	x		*		
1000 x 2,0	x	x	x	x		*		
1000 x 2,5	x	x	x	x		*		
1000 x 3,0	x	x	x	x		*		
1000 x 4,0	x	x	x	x		*		
1000 x 5,0	x	x	x	x				
1000 x 6,0	x	x	x	x				
1000 x 8,0	x	x	x	x				
1000 x 10,0	x	x	x	x				
1250 x 0,5	x	x	x	x				
1250 x 0,6	x	x	x	x				
1250 x 0,7	x	x	x	x				
1250 x 0,8	x	x	x	x				
1250 x 1,0	x	x	x	x				
1250 x 1,2	x	x	x	x				

1250 x 1,5	x	x	x	x				
1250 x 2,0	x	x	x	x				
1250 x 2,5	x	x	x	x				
1250 x 3,0	x	x	x	x				
1250 x 4,0	x	x	x	x				
1250 x 5,0	x	x	x	x				
1250 x 6,0	x	x	x	x				
1250 x 8,0	x	x	x	x				
1250 x 10,0	x	x	x	x				
1500 x 0,5								
1500 x 0,6								
1500 x 0,8	x	x	x	x				
1500 x 1,0	x	x	x	x				
1500 x 1,2	x	x	x	x				
1500 x 1,5	x	x	x	x				
1500 x 2,0	x	x	x	x				
1500 x 2,5	x	x	x	x				
1500 x 3,0	x	x	x	x				
1500 x 4,0	x	x	x	x				
1500 x 5,0	x	x	x	x				
1500 x 6,0	x	x	x	x				
1500 x 8,0	x	x	x	x				
1500 x 10,0	x	x	x	x				
2000 x 1,5	x	x	x	x				
2000 x 2,0	x	x	x	x	*			
2000 x 2,5	x	x	x	x	*			
2000 x 3,0	x	x	x	x	*			
2000 x 4,0	x	x	x	x	*			
2000 x 5,0	x	x	x	x	*			
2000 x 6,0	x	x	x	x	*			
2000 x 8,0	x	x	x	x				
2000 x 10,0	x	x	x	x				
ASTM A240 EN 10088 EN 10028								