


Male elbow

Features: Male Thread: DIN 3858 BSP Conical Form C, DIN 3852, Part 2 DIN/ISO 228 BSP Parallel Form B, DIN 3852, Part 2



Technical information

| Código | Serie | PN | D1 | T | I | S2 | S1 | L1 | L2 | L3 |
|-----------------|---------------|-----|----|-----|----|----|----|------|------|----|
| | Baja Presión | 100 | 4 | 1/8 | 8 | 10 | 9 | 21,0 | 11,0 | 17 |
| 18032030CM06X18 | Baja Presión | 100 | 6 | 1/8 | 8 | 12 | 9 | 21,0 | 9,5 | 17 |
| | Baja Presión | 100 | 8 | 1/8 | 8 | 14 | 12 | 23,0 | 11,5 | 20 |
| | Media Presión | 250 | 6 | 1/8 | 8 | 14 | 12 | 27,0 | 12,0 | 20 |
| 18032030CM06X14 | Media Presión | 250 | 6 | 1/4 | 12 | 14 | 12 | 27,0 | 12,0 | 24 |
| | Media Presión | 250 | 8 | 1/8 | 8 | 17 | 12 | 29,0 | 14,0 | 26 |
| | Media Presión | 250 | 8 | 1/4 | 12 | 17 | 12 | 29,0 | 14,0 | 26 |
| | Media Presión | 250 | 8 | 3/8 | 12 | 17 | 14 | 30,0 | 15,0 | 27 |
| | Media Presión | 250 | 8 | 1/2 | 14 | 17 | 17 | 32,0 | 15,0 | 30 |
| 18032030CM10X14 | Media Presión | 250 | 10 | 1/4 | 12 | 19 | 14 | 30,0 | 16,0 | 27 |

| | | | | | | | | | | |
|-----------------|---------------|-----|----|-------|----|----|----|------|------|----|
| 18032030CM10X38 | Media Presión | 250 | 10 | 3/8 | 12 | 19 | 14 | 30,0 | 15,0 | 28 |
| | Media Presión | 250 | 10 | 1/2 | 14 | 19 | 19 | 29,5 | 15,0 | 30 |
| | Media Presión | 250 | 12 | 1/4 | 12 | 22 | 17 | 32,0 | 15,0 | 28 |
| | Media Presión | 250 | 12 | 3/8 | 12 | 22 | 17 | 32,0 | 17,0 | 28 |
| 18032030CM12X12 | Media Presión | 250 | 12 | 1/2 | 14 | 22 | 19 | 36,0 | 17,0 | 32 |
| | Media Presión | 250 | 15 | 3/8 | 12 | 27 | 19 | 36,0 | 21,0 | 28 |
| | Media Presión | 250 | 15 | 1/2 | 14 | 27 | 19 | 36,0 | 21,0 | 34 |
| | Media Presión | 160 | 18 | 1/2 | 14 | 32 | 24 | 40,0 | 23,5 | 36 |
| | Media Presión | 160 | 22 | 3/4 | 16 | 36 | 27 | 46,5 | 27,5 | 42 |
| | Media Presión | 100 | 28 | 1 | 18 | 41 | 36 | 50,0 | 30,5 | 48 |
| | Media Presión | 100 | 35 | 1 1/4 | 20 | 50 | 41 | 57,0 | 34,5 | 54 |
| | Media Presión | 100 | 42 | 1 1/4 | 22 | 60 | 50 | 62,5 | 40,0 | 61 |
| | Alta Presión | 630 | 6 | 1/4 | 12 | 17 | 12 | 31,0 | 16,0 | 26 |
| | Alta Presión | 630 | 6 | 3/8 | 12 | 17 | 14 | 31,0 | 16,0 | 28 |
| | Alta Presión | 630 | 6 | 1/2 | 14 | 17 | 17 | 31,0 | 16,0 | 30 |
| | Alta Presión | 630 | 8 | 1/4 | 12 | 19 | 14 | 32,0 | 17,0 | 27 |
| | Alta Presión | 630 | 8 | 3/8 | 12 | 19 | 14 | 32,0 | 17,0 | 27 |
| | Alta Presión | 630 | 8 | 1/2 | 14 | 19 | 17 | 32,0 | 17,0 | 30 |
| | Alta Presión | 630 | 10 | 1/4 | 12 | 22 | 17 | 34,0 | 17,5 | 27 |
| | Alta Presión | 630 | 10 | 3/8 | 12 | 22 | 17 | 34,0 | 17,5 | 28 |
| | Alta Presión | 630 | 10 | 1/2 | 14 | 22 | 19 | 34,0 | 17,5 | 31 |
| | Alta Presión | 630 | 12 | 3/8 | 12 | 24 | 17 | 38,0 | 21,5 | 28 |
| | Alta Presión | 630 | 12 | 1/2 | 14 | 24 | 19 | 38,0 | 21,5 | 32 |
| | Alta Presión | 630 | 14 | 3/8 | 12 | 27 | 19 | 40,0 | 22,0 | 31 |
| | Alta Presión | 630 | 14 | 1/2 | 14 | 27 | 19 | 40,0 | 22,0 | 32 |
| | Alta Presión | 400 | 16 | 1/2 | 14 | 30 | 24 | 43,0 | 24,5 | 32 |
| | Alta Presión | 400 | 20 | 3/4 | 16 | 36 | 27 | 49,5 | 26,5 | 42 |
| | Alta Presión | 400 | 25 | 1 | 18 | 46 | 36 | 55,5 | 30,0 | 48 |
| | Alta Presión | 250 | 30 | 1 1/4 | 20 | 50 | 41 | 63,0 | 35,5 | 54 |
| | Alta Presión | 250 | 38 | 1 1/2 | 22 | 60 | 50 | 72,0 | 41,0 | 61 |